

Surgeon
Date / Time of Surgery
Report time to ACC

## DAY OF SURGERY INSTRUCTIONS

- DO NOT EAT OR DRINK ANYTHING AFTER MIDNIGHT the night before surgery. This
  includes water, coffee, soda, juice or any other liquid. Eating or drinking before surgery could
  lead to serious complications and your procedure will be cancelled.
- SPEAK WITH YOUR SURGEON IF YOU HAVE MEDICATION ALLERGIES OR TAKE BLOOD THINNERS (Aspirin, NSAIDS, Plavix, Lovenox, Coumadin) Your surgeon will give you appropriate instructions.
- BE PREPARED ON YOUR DAY OF SURGERY:
  - Wear casual clothing (make allowances for surgical dressings)
  - Do not wear makeup
  - Do not wear nail polish
  - Do not wear fragrances
  - Do not wear contact lenses
  - Do not wear jewelry
  - Remove all body piercings before you come to the surgery center
  - Leave anything of value with your escort or at home
- A COMPETENT ADULT MUST BE AVAILABLE TO DRIVE YOU TO AND FROM THE
  AMBULATORY CARE CENTER. Your safety is our primary concern. For this reason, if you
  come to the Ambulatory Care Center without an escort to provide your transportation, your
  case will be cancelled. You may not travel, unaccompanied, in a taxi or car service after
  your procedure.
- FOR PEDIATRIC PATIENTS: ONE PARENT MUST REMAIN IN THE SURGERY CENTER AT ALL TIMES.
- A COMPETENT ADULT MUST REMAIN WITH YOU FOR 24 HOURS AFTER SURGERY.
- IF YOU TAKE ANY MEDICATIONS, FOLLOW THE INSTRUCTIONS ON THE FOLLOWING PAGE.
- IF YOU HAVE ANY QUESTIONS REGARDING THESE INSTRUCTIONS, OR YOUR PROCEDURE, PLEASE CALL YOU SURGEON'S OFFICE.



## $\sqrt{\text{YES}}$ , take these medications with a small sip of water on your day of surgery:

- Heart medications
- Blood pressure medications
- Thyroid medications
- Anti-seizure medications
- Anxiety medications

## X NO, DO NOT TAKE THESE MEDICATIONS ON YOUR DAY OF SURGERY:

- Medications for Diabetes
  - o Insulin Humulin, Novolin, NPH Insulin
  - o Glucophage
  - o Amaryl
  - o Glucotrol
  - Metformin
- Medications for High Cholesterol
- Water Pills
  - Lasix (Furosemide)
  - Dyazide
  - o HCTZ / Triamterene
  - Aldactone
  - o Diuril
  - o Zarozolyn

## **BILLING INFORMATION**

- If your insurance requires a referral for office visits, a referral must be obtained for the Ambulatory Care Center.
- Physicians and anesthesia fees may be billed separately by their respective offices. The Ambulatory Care Center bills the facility fee.